



> Media Guide\_Web Version 9/22/2009

## Recommended Media: bizhub C220/C280/C360

| MANUFACTURER                        | BRAND                   | KONICA MINOLTA ITEM #* | TYPE / ITEM #           | SIZE      | PAPER WEIGHT                          | PAPER INPUT LOCATION | PRINTER / MFP SETTING | AUTO DUPLEX |
|-------------------------------------|-------------------------|------------------------|-------------------------|-----------|---------------------------------------|----------------------|-----------------------|-------------|
| <b>PLAIN PAPER FOR COLOR OUTPUT</b> |                         |                        |                         |           |                                       |                      |                       |             |
| Konica Minolta                      | CF Paper                | 8918308                | Plain Paper 1000 sheets | 12" x 18" | 28 lb. Bond (105 g/m <sup>2</sup> )   | Any Tray, Bypass     | Thick 1               | Yes         |
| Konica Minolta                      | CF Paper                | 8918320                | Plain Paper 1000 sheets | Ledger    | 28 lb. Bond (105 g/m <sup>2</sup> )   | Any Tray, Bypass     | Thick 1               | Yes         |
| Konica Minolta                      | CF Paper                | 8918321                | Plain Paper 2000 sheets | Letter    | 28 lb. Bond (105 g/m <sup>2</sup> )   | Any Tray, Bypass     | Thick 1               | Yes         |
| Konica Minolta                      | CF Paper                | 8918309                | Plain Paper 1500 sheets | 12" x 18" | 22 lb. Bond (80 g/m <sup>2</sup> )    | Any Tray, Bypass     | Plain Paper           | Yes         |
| Konica Minolta                      | CF Paper                | 8918314                | Plain Paper 1500 sheets | Ledger    | 22 lb. Bond (80 g/m <sup>2</sup> )    | Any Tray, Bypass     | Plain Paper           | Yes         |
| Konica Minolta                      | CF Paper                | 8918315                | Plain Paper 2500 sheets | Letter    | 22 lb. Bond (80 g/m <sup>2</sup> )    | Any Tray, Bypass     | Plain Paper           | Yes         |
| International Paper                 | Hammermill              | n/a                    | Color Copy Photo White  | Letter    | 32 lb. Bond (120 g/m <sup>2</sup> )   | Any Tray, Bypass     | Thick 1               | Yes         |
| International Paper                 | Hammermill              | n/a                    | Color Copy              | Letter    | 32 lb. Bond (120 g/m <sup>2</sup> )   | Any Tray, Bypass     | Thick 1               | Yes         |
| International Paper                 | Hammermill              | n/a                    | Color Copy Cover        | Letter    | 60 lb. Cover (163 g/m <sup>2</sup> )  | Any Tray, Bypass     | Thick 2               | Yes         |
| International Paper                 | Hammermill              | n/a                    | Color Copy Cover        | Letter    | 80 lb. Cover (216 g/m <sup>2</sup> )  | Any Tray, Bypass     | Thick 3               | Yes         |
| International Paper                 | Hammermill              | n/a                    | Color Copy Cover        | Letter    | 100 lb. Cover (271 g/m <sup>2</sup> ) | Bypass               | Thick 4               | No          |
| Domtar                              | Recycled Copy           | n/a                    | 30% Post Consumer       | Letter    | 20 lb. Bond (75 g/m <sup>2</sup> )    | Any Tray, Bypass     | Plain Paper           | Yes         |
| Domtar                              | MicroPrint Laser        | n/a                    | -                       | Letter    | 24 lb. Bond (90 g/m <sup>2</sup> )    | Any Tray, Bypass     | Plain Paper           | Yes         |
| Domtar                              | MicroPrint              | n/a                    | Color Copy              | Letter    | 28 lb. Bond (105 g/m <sup>2</sup> )   | Any Tray, Bypass     | Plain Paper           | Yes         |
| Smart Papers                        | Carnival Stellar White  | n/a                    | -                       | Letter    | 24 lb. Bond (89 g/m <sup>2</sup> )    | Any Tray, Bypass     | Plain Paper           | Yes         |
| Smart Papers                        | Carnival White          | n/a                    | -                       | Letter    | 24 lb. Bond (89 g/m <sup>2</sup> )    | Any Tray, Bypass     | Plain Paper           | Yes         |
| Smart Papers                        | Synergy Bond 25% Cotton | n/a                    | -                       | Letter    | 24 lb. Bond (90 g/m <sup>2</sup> )    | Any Tray, Bypass     | Plain Paper           | Yes         |
| Mohawk Fine Papers Inc.             | Color Copy              | n/a                    | 98 Bright White         | Letter    | 24 lb. Bond (90 g/m <sup>2</sup> )    | Any Tray, Bypass     | Plain Paper           | Yes         |

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.



> Media Guide\_Web Version 9/22/2009

## Recommended Media: bizhub C220/C280/C360

| MANUFACTURER                             | BRAND                      | KONICA MINOLTA ITEM #* | TYPE / ITEM #                | SIZE   | PAPER WEIGHT                          | PAPER INPUT LOCATION | PRINTER / MFP SETTING | AUTO DUPLEX |
|------------------------------------------|----------------------------|------------------------|------------------------------|--------|---------------------------------------|----------------------|-----------------------|-------------|
| <b>PLAIN PAPER FOR MONOCHROME OUTPUT</b> |                            |                        |                              |        |                                       |                      |                       |             |
| International Paper                      | Hammermill                 | n/a                    | Tidal MP                     | Letter | 20 lb. Bond (75 g/m <sup>2</sup> )    | Any Tray, Bypass     | Plain Paper           | Yes         |
| <b>RECYCLED</b>                          |                            |                        |                              |        |                                       |                      |                       |             |
| Mohawk Fine Papers Inc.                  | Color Copy 100             | n/a                    | 100% PCW Recycled Paper      | Letter | 28 lb. Bond (105 g/m <sup>2</sup> )   | Any Tray, Bypass     | Plain Paper           | Yes         |
| <b>SINGLE-SIDED GLOSSY</b>               |                            |                        |                              |        |                                       |                      |                       |             |
| Smart Papers                             | Kromekote Laser High Gloss | n/a                    | Coated One Side 10 pt Cover  | Letter | 10 pt. Cover (219 g/m <sup>2</sup> )  | Any Tray, Bypass     | Thick 3               | Yes         |
| Smart Papers                             | Kromekote Laser High Gloss | n/a                    | Coated One Side 12 pt Cover  | Letter | 12 pt. Cover (247 g/m <sup>2</sup> )  | Any Tray, Bypass     | Thick 3               | Yes         |
| <b>DOUBLE-SIDED GLOSSY</b>               |                            |                        |                              |        |                                       |                      |                       |             |
| Sappi                                    | Opus Gloss                 | n/a                    | -                            | Letter | 80 lb. Text (118 g/m <sup>2</sup> )   | Any Tray, Bypass     | Thick 1               | Yes         |
| Sappi                                    | Opus Gloss Cover           | n/a                    | -                            | Letter | 80 lb. Cover (216 g/m <sup>2</sup> )  | Any Tray, Bypass     | Thick 3               | Yes         |
| Smart Papers                             | Kromekote plus C2S Cover   | n/a                    | -                            | Letter | 90 lb. Cover (237 g/m <sup>2</sup> )  | Any Tray, Bypass     | Thick 3               | Yes         |
| Smart Papers                             | Kromekote Laser High Gloss | n/a                    | Coated Two Sides 10 pt Cover | Letter | 10 pt. Cover (234 g/m <sup>2</sup> )  | Any Tray, Bypass     | Thick 3               | Yes         |
| Smart Papers**                           | Kromekote Laser High Gloss | n/a                    | Coated Two Sides             | Letter | 90 lb. Text (133 g/m <sup>2</sup> )   | Any Tray, Bypass     | Thick 1               | Yes         |
| Mohawk Fine Papers Inc.                  | Mohawk Color Copy          | n/a                    | Gloss Pure White             | Letter | 32 lb. Bond (120 g/m <sup>2</sup> )   | Any Tray, Bypass     | Thick 1               | Yes         |
| Mohawk Fine Papers Inc.                  | Mohawk Color Copy          | n/a                    | Gloss Pure White             | Letter | 80 lb. Cover (216 g/m <sup>2</sup> )  | Any Tray, Bypass     | Thick 3               | Yes         |
| Mohawk Fine Papers Inc.                  | Mohawk Color Copy          | n/a                    | Gloss Pure White 100C        | Letter | 100 lb. Cover (270 g/m <sup>2</sup> ) | Bypass               | Thick 4               | No          |
| Domtar                                   | MicroPrint                 | n/a                    | Coated Laser Gloss Cover     | Letter | 80 lb. Cover (216 g/m <sup>2</sup> )  | Any Tray, Bypass     | Thick 3               | Yes         |

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

\*\* Smart Papers Kromekote Laser High Gloss 90 lb. Text (133 g/m<sup>2</sup>) cannot be used in high humidity environments.



> Media Guide\_Web Version 9/22/2009

## Recommended Media: bizhub C220/C280/C360

| MANUFACTURER            | BRAND                 | KONICA MINOLTA ITEM #* | TYPE / ITEM #          | SIZE            | PAPER WEIGHT                          | PAPER INPUT LOCATION | PRINTER / MFP SETTING | AUTO DUPLEX |
|-------------------------|-----------------------|------------------------|------------------------|-----------------|---------------------------------------|----------------------|-----------------------|-------------|
| <b>COVER STOCK</b>      |                       |                        |                        |                 |                                       |                      |                       |             |
| Domtar                  | MicroPrint            | n/a                    | Color Copy Cover       | Letter          | 60 lb. Cover (163 g/m <sup>2</sup> )  | Any Tray, Bypass     | Thick 2               | Yes         |
| Domtar                  | MicroPrint            | n/a                    | Color Copy Cover       | Letter          | 65 lb. Cover (176 g/m <sup>2</sup> )  | Any Tray, Bypass     | Thick 2               | Yes         |
| Domtar                  | MicroPrint            | n/a                    | Laser Matte Cover      | Letter          | 80 lb. Cover (216 g/m <sup>2</sup> )  | Any Tray, Bypass     | Thick 3               | Yes         |
| Domtar                  | MicroPrint            | n/a                    | Color Copy Cover       | Letter          | 80 lb. Cover (216 g/m <sup>2</sup> )  | Any Tray, Bypass     | Thick 3               | Yes         |
| Smart Papers            | Carnival White Cover  | n/a                    | Cover                  | Letter          | 80 lb. Cover (216 g/m <sup>2</sup> )  | Any Tray, Bypass     | Thick 3               | Yes         |
| Wausau Paper            | Exact Index           | n/a                    | -                      | Letter          | 140 lb. Index (255 g/m <sup>2</sup> ) | Any Tray, Bypass     | Thick 3               | Yes         |
| Mohawk Fine Papers Inc. | Mohawk Color Copy     | n/a                    | 98 Bright White        | Letter          | 80 lb. Cover (216 g/m <sup>2</sup> )  | Any Tray, Bypass     | Thick 3               | Yes         |
| Mohawk Fine Papers Inc. | Mohawk Color Copy     | n/a                    | 98 Bright White        | Letter          | 100 lb. Cover (270 g/m <sup>2</sup> ) | Bypass               | Thick 4               | No          |
| <b>ENVELOPES</b>        |                       |                        |                        |                 |                                       |                      |                       |             |
| Litho & Paper Corp.     | Argo Envelope         | n/a                    | Preservation Wove 5789 | 11" x 6.75"     | 24 lb.                                | Bypass               | Envelope              | No          |
| <b>BANNER PAPER</b>     |                       |                        |                        |                 |                                       |                      |                       |             |
| Konica Minolta          | Banner Paper          | 76400 02409            | Plain Paper 200 sheets | 11.75" x 47.25" | 100 lb. Text (180 g/m <sup>2</sup> )  | Bypass               | Banner Mode / Thick 1 | No          |
| <b>LABELS</b>           |                       |                        |                        |                 |                                       |                      |                       |             |
| Avery                   | 4" x 6" Postcard      | n/a                    | 5889                   | Letter          | -                                     | Bypass               | Thick 1               | No          |
| Avery                   | Color Printing Labels | n/a                    | 6870 30 labels/ sheet  | Letter          | -                                     | Bypass               | Thick 1               | No          |
| Avery                   | Color Printing Labels | n/a                    | 6873 8 labels/ sheet   | Letter          | -                                     | Bypass               | Thick 1               | No          |
| Avery                   | Color Printing Labels | n/a                    | 6876 2 labels/ sheet   | Letter          | -                                     | Bypass               | Thick 1               | No          |
| Avery                   | Color Printing Labels | n/a                    | 6878 4 labels/ sheet   | Letter          | -                                     | Bypass               | Thick 1               | No          |

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.



> Media Guide\_Web Version 9/22/2009

## Recommended Media: bizhub C220/C280/C360

| MANUFACTURER           | BRAND                  | KONICA MINOLTA ITEM #* | TYPE / ITEM # | SIZE   | PAPER WEIGHT | PAPER INPUT LOCATION | PRINTER / MFP SETTING | AUTO DUPLEX |
|------------------------|------------------------|------------------------|---------------|--------|--------------|----------------------|-----------------------|-------------|
| <b>SPECIALTY PAPER</b> |                        |                        |               |        |              |                      |                       |             |
| Techni-Print**         | Photo T-Shirt Transfer | n/a                    | 9721PO-8511   | Letter | -            | Any Tray, Bypass     | Thick 2               | No          |
| <b>TRANSPARENCY</b>    |                        |                        |               |        |              |                      |                       |             |
| 3M                     | Color Laser            | 76400 00420            | CG3700 9488-4 | Letter | 5 mil        | Bypass               | OHP                   | No          |

\* If an item number is present, please contact Konica Minolta to order media. An 'n/a' reference indicates the item is not available through Konica Minolta. Contact the manufacturer to order.

\*\* T-Shirt Transfer Paper should not be solely used in the copier and should only be used on a limited basis (250 sheets per run maximum). Also, pay particular attention if a misfeed occurs in the fuser section of the copier. It should be removed immediately (due to odor) and then 15-25 sheets of regular (20 lb. bond) paper should be run to clean the fusing rollers. Also this media cannot be used in high humidity environments.



> Media Guide\_Web Version 9/22/2009

## Media Type Specification: bizhub C220/C280/C360

### STANDARD TRAY CAPACITY AND SUPPORTED MEDIA

| MEDIA TYPE            | WEIGHT       | TRAY 1     | TRAY 2     | MULTIPLE BYPASS | AUTO DUPLEX** |
|-----------------------|--------------|------------|------------|-----------------|---------------|
| Plain Paper           | 60-90 g/m²   | 500 sheets | 500 sheets | 150 sheets      | Yes           |
| OHP Film Transparency | -            | -          | -          | 20 sheets*      | No            |
| Thick Paper 1         | 91-150 g/m²  | 150 sheets | 150 sheets |                 | Yes           |
| Thick Paper 2         | 151-209 g/m² |            |            |                 |               |
| Thick Paper 3         | 210-256 g/m² |            |            |                 |               |
| Thick Paper 4         | 257-271 g/m² | -          | -          |                 | No            |
| Postcards             | -            | -          | -          |                 |               |
| Envelopes             | -            | -          | -          | 10 sheets       |               |
| Labels                | -            | -          | -          | 20 sheets       |               |
| Banner Paper          | 127-210 g/m² | -          | -          | 10 sheets       |               |

### PC-107/PC-207 TRAY CAPACITY AND SUPPORTED MEDIA

| MEDIA TYPE    | WEIGHT       | TRAY 3     | TRAY 4     | AUTO<br>DUPLEX** |
|---------------|--------------|------------|------------|------------------|
| Plain Paper   | 60-90 g/m²   | 500 sheets | 500 sheets | Yes              |
| Thick Paper 1 | 91-150 g/m²  | 150 sheets | 150 sheets |                  |
| Thick Paper 2 | 151-209 g/m² |            |            |                  |
| Thick Paper 3 | 210-256 g/m² |            |            |                  |

### PC-408 TRAY CAPACITY AND SUPPORTED MEDIA

| MEDIA TYPE    | WEIGHT                   | LCT TRAY     | AUTO<br>DUPLEX** |
|---------------|--------------------------|--------------|------------------|
| Plain Paper   | 60-90 g/m <sup>2</sup>   | 2,500 sheets | Yes              |
| Thick Paper 1 | 91-150 g/m <sup>2</sup>  | 1,000 sheets |                  |
| Thick Paper 2 | 151-209 g/m <sup>2</sup> |              |                  |
| Thick Paper 3 | 210-256 g/m <sup>2</sup> |              |                  |

\* Monochrome print only.

\*\* For Auto Duplex, only plain paper weighing 64-90 g/m<sup>2</sup> or thick paper weighing 91-256 g/m<sup>2</sup> are reliably fed.



## Purpose of the Media Guide

The purpose of this media guide is to educate our customers on basic paper characteristics, paper handling, general precautions, and proper storage as related to our MFP and printer products. Use this media guide to help select the best media appropriate for your general office use, marketing brochure or collateral, booklet, or any other graphic art output.

We also offer recommended media by product that can be ordered directly from Konica Minolta to ensure high quality printing and desired machine performance. Not all media recommended within this guide can be ordered directly through Konica Minolta, you must contact the manufacturer to purchase the media.

## Disclaimer

As an aid to end-users of Konica Minolta MFP and printer products, Konica Minolta Business Solutions U.S.A. Inc. (KMBS) has performed testing on certain media that may be printed by Konica Minolta's products. Based solely on such testing, KMBS has found that the products listed have functioned properly using the media listed during the course of testing. However, KMBS can give no assurances based upon such testing that the listed media will perform for any particular end-user's product, and KMBS disclaims any warranty, express or implied, to such effect.

KMBS recommends that each end user consult with its servicing dealer both to confirm that use of any listed media with the end user's product will not affect any servicing agreement with such dealer, and that the product is maintained in the appropriate environmental and other conditions stated in the product's operator's manual so as to optimize the possibility for replicating the results achieved in KMBS testing. This guide does not constitute an endorsement of the listed media, and there may be other media that enable the listed products to function properly.

Please note that the print media listed has been tested and approved for use in MFP and printers sold in the Americas only. Using certain media may affect fuser yield life.

For complete overview on product usage, please refer to the product's user manual.